$TA001_N$

INFORMATION DOCUMENT FOR GOODS VEHICLES

Initial type approval	☐ Extension of a type of vehicle	☐ Extension for modification	
	Previous TA no	Previous TA no	

Any drawings must be supplied in appropriate scale and in sufficient detail on size A4, or on a folder of A4 format. Photographs, if any, must show sufficient detail. Submissions in soft copy format are acceptable. If the systems, components or separate technical units have electronic controls, information concerning their performance must be supplied.

Note: The information item printed in *Italic* shall also be completed if available.

0. 0.1.	GENERAL Make (trade name of manufacturer):
0.2.	Type (multiple entries under one type is allowed)):
	Variant/ Version/Model Code (1) (only list out model under this application):
0.2.1.	Commercial Name or Model Name or Sale Designation:
0.3.	Means of identification of type, if marked on the vehicle (b):
0.3.1.	Location of that marking:
0.4.	Category of vehicle:
0.5.	Name and address of manufacturer:
0.5a.	Name and address of manufacturer's local authorized
0.5a.	representative and his C&E ID, if any:
0.6.	Location of the statutory plates (if any):and
0.6.a.	Location of the vehicle identification number (enter details in
0.0.4.	Section 9.17.):
0.6.b.	The serial numbering of the type begins with no.:
0.8.	Address(es) of assembly plant(s):
1.	GENERAL CONSTRUCTION CHARACTERISTICS OF THE VEHICLE
1.1.	Photographs and drawings of a representative vehicle:
1.3.	Number of axles:and wheels:
1.4.	Chassis (overall drawing):
2.	MASSES AND DIMENSIONS (in kg and mm) (Refer to drawing where applicable)
2.1.	Wheelbase(s) (fully loaded):
2.3.1.	Track of each steered axle:
2.3.2.	Track of all other axles:
2.4.	Range of vehicle dimensions (overall)
2.4.2.	For chassis with bodywork
2.4.2.1.	Length:
2.4.2.2.	Width :
2.4.2.3.	Height:
2.6.	Mass of the vehicle (0) (maximum and minimum for each variant):
2.6.1.	Distribution of this mass among the axles (maximum and minimum for each variant):
	1 2etc
2.8.	Technically permissible maximum laden mass ^(Z2) stated by the manufacturer ^(*) :
2.8.1.	Distribution of this mass among the axles (*): 1 2etc
2.9	Technically permissible maximum mass on each axle: 1) 2
2.11.4.	Technically permissible maximum mass of the combination (Z9):

3.	POWER PLANT	
3.1.	Manufacturer (Make):	
3.1.1.	Manufacturer's engine code as marked on engine (Type):	
3.1.1.c	Emission approval reference: (Please enclosed EPD's	(File reference on
	Approval letter)	EPD's Approval letter)
3.2.	Internal combustion engine	
3.2.1.1.	Working principle:	
3.2.1.2.	Number and arrangement of cylinders:	
3.2.1.3.	Engine capacity:	c.c.
3.2.1.8.	Maximum power output at speed:	kW at RPM
3.2.9	Exhaust system	
3.2.9.2	Description and/or drawing of the exhaust system:	
3.2.12.2.1	Catalytic converter	Yes/No
	Identification Code (same as those stated in VECA in your first application, if applicable)	
321226	Particulate trap	Yes/No
3.2.12.2.0	Identification Code (same as those stated in VECA in your	100/110
	first application, if applicable)	
3.2.12.2.7	On-board-diagnostic (OBD) system	Yes/No
3.2.15.	LPG fuelling system:	Yes / no
3.2.15.1.	Type-approval number: (Please enclosed EMSD's Approval letter)	(File reference on EMSD's Approval letter)
3.3	Electric Motor	
3.3.1	Type (winding, excitation):	
3.3.1.1	Maximum hourly output:	kW
0.01111	Maximum 30-minutes power according to ECE R85:	kW
3.3.1.2	Operating voltage:	V
3.3.2	Battery	<u> </u>
3.3.2.1	Number of cells:	cells modules
3.3.2.2	Mass:	kg
3.3.2.3	Capacity:	Ah @ V
3.3.2.4	Position	
	-	
3.4	Other engines or motors or combinations thereof (particulars regarding the parts of such engines or	
2.4.1	motors)	
3.4.1	motors) Hybrid electric vehicle	Yes / No
3.4.1	motors) Hybrid electric vehicle Category of Hybrid electric vehicle	Yes / No

	Type (manual/automatic/CVT (continuously variable transmission)) (1)						
Gear ratios							
	Gear	Internal gearbox ratios (ratios of engine to gearbox output shaft revolutions)	Final drive ratio(s) (ratio of gear box output shaft to driven wheel revolutions)	Total gear ratios			
	Maximum for CVT * 1. 2.						
	3 Minimum for CVT *)						
	Reverse	riable transmission.					
	Tyre/Wheel combi index, minimum sp Axles Axle 1:	including all options) ination(s) (for tyres indica	te size designation, minimuneels indicate rim size(s) and o				
		e And Type):					
	STEERING (Make	- · · · · · · · · · · · · · · · · · · ·					
	BRAKES Type and character Operating diagram, Service braking sys Secondary braking Parking braking sys Any additional brak	system:	of				

4.

9.12.1. Number and position of safety belts and restraint systems and seats on which they can be used:

		Declare the Type-approval mark e.g. ECE, EC, BS etc	Variant (if applicable)	Belt adjustment device for height (indicate yes/no/optional)
	L			
First row of seats	C			
	DR			
	L			
Second row of seats *	C			
	R			

L = left-hand side; R = right-hand side; C = center; DR = Driver seat

- 9.13 Safety belt anchorages (**Please enclosed a test certificate**)
- 9.13.1. Photographs and/or drawings of the bodywork showing the position and dimensions of the actual and the effective anchorages including the R-points: (if available)
- 9.17. Statutory plates (if any) and vehicle identification number
- 9.17.1. Photographs and/or drawings of the locations of the statutory plates and inscriptions and of the vehicle identification number:
- 9.17.3. Photographs and/or drawings of the chassis number (completed example with dimensions):
- 9.17.4. Manufacturer's declaration of compliance with the requirement
- 9.17.4.1 The meaning of characters shall be explained:

10.1.	List of all devices(mentioning the number, type approval marks, colour, the corresponding tell-tale):	See chart below:
10.4.	Dipped beam lamps	
10.4.1.	Value of initial adjustment	

10.1	Category	Colour	No.	Circuit- closed tell-tale	Approval mark/number	Light source*
a	Main-beam Headlamp	White		Yes/No ¹	E / e / 自 /Other ¹ :	
b	Dipped-beam Headlamp	White		-	E/e/ 自 /Other ¹ :	
c	Front Retro reflectors	Identical to incident light		-	E/e/ 自 /Other ¹ :	
d	Front position lamps	White		Yes/No1	E / e / 自 /Other ¹ :	
e	Direction indicator (Front) (Side) (Rear)	Amber		Yes/No ¹	E / e / 自 /Other ¹ : E / e / 自 /Other ¹ : E / e / 自 /Other ¹ :	
f	Hazard warning signal	Amber		Yes/No1	E / e / 自 /Other ¹ :	
g	Rear Position lamps	Red		Yes/No1	E/e/ 自 /Other ¹ :	
h	Stop lamps (High mount)	Red		-	E/e/自/Other ¹ : E/e/自/Other ¹ :	
i	Rear registration plate lamp	White		-	E / e / 自 /Other¹:	
j	Reversing lamps	White		-	E/e/ 自 /Other ¹ :	
k	Rear Retro reflectors	Red		-	E / e / 自 /Other ¹ :	
Optional a	levice (if present)	•			•	•
1	Front fog lamps	Yellow		Yes/No ¹	E/e/	
m	Daytime running lamps	White		-	E/e/ 自 /Other ^I :	

The table may be extended as necessary for vehicles with more than two rows of seats or if there are more than three seats across the width of the vehicle.

10.1	Category	Colour	No.	Circuit- closed tell-tale	Approval mark/number	Light source*
n	Cornering lamps White - E/e/自/C		E/e/			
p End-outline marker lamps		Front: white Rear: red		-	E/e/ 自 /Other ^I :	
q	Side maker lamps	Amber; rearmost: red or amber		-	E/e/ 自 /Other ^I :	
r	Side Retro reflectors	Amber; rearmost: red or amber		-	E/e/ 自 /Other ^I :	
S	Rear fog lamps	Red		Yes/No ^I	E/e/	

This table can be extended to suit.

11. CONNECTIONS BETWEEN TOWING VEHICLES AND TRAILERS AND SEMI-TRAILERS (For fifth wheel and tow hook devices etc.)

- 11.1. The coupling device(s) fitted (Make and Type):

^{*}Light Source: " \mathbf{F} " for filament lamp; " \mathbf{H} " for HID lamp; " \mathbf{L} " for LED

Summary of the construction standards and certificates

Item No.	Subject*	Standard	Certificate Ref. No.	Remarks
3.1.1c	Sound level			
3.1.1c	Exhaust Emission			
4.8	Speedometer			
9.5	Safety Glass			
9.12	Seat belts			
9.13	Seat belt anchorages			
10.1	Installation of lighting and signaling devices			
a, b	Headlamps			
c	Front retro reflector (non-triangle)			
dah	Front position lamps, rear position lamps,			
d, g, h,	stop lamps, daytime running lamps, side			
m, q, p	marker lamp, end-outline marker lamps,			
e, f	Direction indicator			
i	Rear registration plate lamp			
j	Reversing lamp			
k	Rear retro reflector (non-triangle)			
1	Front fog lamps			
n	Cornering lamp			
0	Parking lamp			
r	Side retro reflector (non-triangle)			
S	Rear fog lamp			

If those data required in this form is available in your test report/certificate whilst you can provide a hyperlink in this form to the test report and certificate in CD-ROM accomplished with this application, you are not required to repeat the data entry in this form.

* Deleted if not applicable

Authority Signature	:	
Post	:	
Company	:	
Date	:	
		Company chop

Notes

- (*) Please fill in here the upper and lower values for each variant.
- (1) Delete where not applicable (there are cases where nothing need be deleted when more than one entry is applicable).
- (b) If the means of identification of type contains characters not relevant to describe the vehicle, component or separate technical unit types covered by this information document, such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123??).
- (c) Classified according to the definitions listed in Annex 7 to the Consolidated Resolution on the Construction of Vehicle (R.E.3) or the vehicle approval standard in building such vehicle(e. M1/EU, Passenger Motor Vehicle//Japan etc.).
- (o) Mass of the vehicle with bodywork (if applicable) in running order including coolant, oils, fuel, spare wheels, tools and driver. The mass of the driver is 75 kg (according to ISO Standard 2416-1992) and the fuel tank is filled to 90 % and the other liquid containing systems (except those for used water) to 100 % of the capacity specified by the manufacturer.
- (Z2) 'Technically permissible maximum laden mass (M)' means the maximum mass of the vehicle based on its construction and performance, stated by the manufacturer.
- (Z9) 'Technically permissible maximum laden mass of the combination (MC)' means the maximum value of the sum of the masses of the laden motor vehicle and of the laden towed trailer, based on the construction of the motor vehicle, and as stated by the manufacturer.