


# CODE OF PRACTICE



## FOR THE LOADING OF VEHICLES



SEPTEMBER 1999

# Code of Practice for the Loading of Vehicles

**TRANSPORT DEPARTMENT  
41<sup>ST</sup> Floor  
Immigration Tower  
7 Gloucester Road  
Hong Kong  
September, 1999**

## Contents

1. Introduction
  - 1.1. General
  - 1.2. Legislation
  - 1.3. Overloading
  - 1.4. Definitions
  
2. Vehicle types and arrangement of loads
  - 2.1. General
  - 2.2. Choice of vehicle
  - 2.3. Arrangement of loads
  
3. Advice on loading
  - 3.1. General
  - 3.2. General freight
  - 3.3. Metal loads
  - 3.4. Bamboo poles and timber
  - 3.5. Loose bulk loads
  - 3.6. Pallets
  - 3.7. Containers
  - 3.8. Engineering plant
  - 3.9. Long and wide loads
  - 3.10. Liquid loads
  - 3.11. Towing vehicles
  - 3.12. Safety of passengers
  - 3.13. Maintenance
  - 3.14. Location of loading and unloading activities

## **Diagrams**

- 1.3.1 Maximum combined weights for articulated vehicles
  
- 2.1.1 Badly distributed loads
- 2.1.2 Well distributed loads
- 2.2.1 Transporting loose bulk loads
- 2.2.2 Transporting long loads
- 2.3.1 Arrangement of loads for vehicle stability
- 2.3.2 Loading a semi-trailer not attached to its tractor
- 2.3.3 Restricting height of loads
- 2.3.4 Using jib as additional restraint
  
- 3.2.1 Transporting general freight
- 3.2.2 Transporting mixed loads (arrangement of loads)
- 3.2.3 Transporting mixed loads (provision of adequate restraint)
- 3.2.4 Transporting crates (provision of adequate restraint)
- 3.2.5 Transporting rolls and drums
- 3.2.6 Transporting boxes and crates
- 3.2.7 Transporting sacks and loose bricks
- 3.3.1 Transporting metal loads
- 3.4.1 Transporting bamboo poles
- 3.4.2 Transporting timber
- 3.5.1 Transporting loose bulk loads
- 3.6.1 Securing goods to pallet
- 3.6.2 Securing pallet and goods to vehicle platform
- 3.7.1 Twist lock system for restraining containers
- 3.7.2 Containers should not overhang trailer
- 3.7.3 Container and trailer sizes to match
- 3.7.4 Container to be free from defects
- 3.7.5 Arrangement of loads in containers
- 3.7.6 Load spreading devices in containers
- 3.8.1 Transporting an engineering plant (maximum height of load)
- 3.8.2 Transporting a tractor
- 3.8.3 Transporting a fork lift truck
- 3.8.4 Transporting a road roller
- 3.8.5 Transporting a pedestrian roller
- 3.8.6 Transporting a wheeled tractor shovel

## **Diagrams**

- 3.8.7 Transporting a hydraulic excavator
- 3.8.8 Transporting a grader
- 3.8.9 Transporting a tracked roped excavator
- 3.8.10 Transporting a tracked dozer
- 3.9.1 Permitted wide and long loads
- 3.9.2 Transporting long loads
- 3.9.3 Transporting wide loads
- 3.11.1 Advice on towing vehicles
- 3.12.1 Safety of passengers
- 3.12.2 Safety of passengers
- 3.12.3 Safety of passengers
- 3.12.4 Safety of passengers
- 3.13.1 Advice on maintenance
- 3.14.1 Loading/unloading on gradients
- 3.14.2 Loading/unloading plant on gradients
- 3.14.3 Illegal parking on footways
- 3.14.4 Loading/unloading on a footway