
Code of practice for



Private Roads



Code of Practice for Private Roads

Transport Department August 1994

Contents

Index

1.	Introduction
1.1	General
1.2	Legislation
2.	The Control of Parking on Private Roads
2.1	General
2.2	Signing and Marking Arrangements
121	
3.	Road Humps
3.1	General
3.2	Use and Location of Road Humps
4.	Traffic Signing and Road Marking on Private Roads
4.1	General
4.2	Traffic Signs and Road Markings, Location and Size
4.3	Traffic Signs and Road Markings Design Details
4.4	Use of Permitted Regulatory Signs
4.5	Use of Warning and Informatory Signs and Supplementary Plates
4.6	Use of Regulatory Road Markings
4.7	Use of Informatory Road Markings
4.8	Directional and Informatory Signs
4.9	Barriers
5.	Traffic Signs and Road Markings Requiring the Commissioner's
	Authorisation
5.1	Speed Limits
5.2	Regulatory Traffic Signs and Road Markings
5.3	Traffic Signals

List of Diagrams

4.1.3

Private Roads

Diagram	<u>Title</u>
2.1.1	"Private Road" Traffic Sign
2.1.2	Signing of Entrances to Private Roads on Estates
2.2.1	Entrance to Small Development where Road Traffic (Parking on
	Private Roads) Regulations are to Apply
2.2.2	Entrance to the Estate where Road Traffic (Parking on Private
	Roads) Regulations are to Apply
2.2.3	Private Road Sign Erected Over Footway
2.2.4	"No Parking" Sign
2.2.5	Sign Plate Assembly
2.2.6	"No Parking" Road Marking
2.2.7	Supplementary Plates
2.2.8	Mounting Details for "No Parking" Sign
2.2.9	"No Parking" Sign Locations, Signs Parallel to Kerb
2.2.10	Marking and Signing of "No Parking" Restriction Upto 50m in
	Length
2.2.11	"No Parking" Sign Locations Signs Facing On-coming Vehicles
2.2.12	"No Parking" Signs at Junctions
2.2.13	Temporary "No Parking" Sign
2.2.14	"Except with Permit" Supplementary Plate
2.2.15	Entrance to Small Development where "No Parking", "Except with
	Permit" Applies
2.2.16	Signing Arrangement at Entrance where "No Parking", "Except with
	Permit" Applies to the Whole Estate
2.2.17	Signing/Marking of Resident Parking Areas
2.2.18	Typical Wheel Clamp Arrangement
3.1.1	Road Hump Dimensions
3.1.2	Road Hump Warning Sign and Marking
3.1.3	Road Markings for Road Hump Installations
3.2.1	Distance Supplementary Plate
3.2.2	Road Hump Installation
4.1.1	Regulatory Signs that may be Used on Private Roads
4.1.2	Warning Signs that may be Used on Private Roads
	man man and and and and and and and and and a

4.1.4 Regulatory Road Markings that may be Used on Private Roads

Informatory Sign and Supplementary Plates that may be Used on

Diagram Title

- 4.1.5 Informatory Road Markings that may be Used on Private Roads
- 4.1.6 Directional Sign Formats that may be Used on Private Roads
- 4.1.7 Traffic Light Signals that may be Used on Private Roads but Only for Alternate One Way Working
- 4.2.1 Mounting Heights and Horizontal Clearances For Traffic Signs
- 4.2.2 Sign Assemblies
- 4.4.1 Use of Figure No. 102, "Give Way" Sign
- 4.4.2 Use of Figure No. 106, "Straight Ahead"
- 4.4.3 Use of Figure No. 107 "Turn Left" or "Turn Right"
- 4.4.4 Use of Figure No. 107 at Roundabouts
- 4.4.5 Figure No. 108, "Keep Left" Incorporated into a Bollard
- 4.4.6 Use of Figure No. 112, "No Entry"
- 4.4.7 Use of Figure No. 122, "No Left Turn", "No Right Turn"
- 4.4.8 Use of Figure No. 139, "One Way Traffic"
- 4.5.1 Use of Figure No. 205, "Two Way Traffic"
- 4.5.2 Chevron Signs on Curves
- 4.5.3 Use of Figure No. 217, "Roundabout Ahead"
- 4.5.4 Use of Figure Nos. 423, 424 and 425
- 4.5.5 Use of Figure Nos. 221 and 222 to Indicate Height Restrictions
- 4.5.6 Use of Figure No. 302, "Pass Either Side"
- 4.5.7 Use of Figure Nos. 310 and 311
- 4.6.1 Use of Figure No. 506, "Stop Line"
- 4.6.2 Use of Figure No. 508, "Give Way"
- 4.6.3 Use of Figure No. 508, "Give Way", and Other Markings at Junctions with Major Private Roads
- 4.6.4 Construction Details for Figure No. 509, Direction Arrows
- 4.6.5 Use of Figure No. 509 at Multi-Lane Approach to Give Way Junction
- 4.6.6 Use of Figure No. 509, Directional Arrows in Car Parks or Similar
- 4.6.7 Typical Car Park Worded Message Markings
- 4.6.8 Marking of Adjacent Ramps or Similar
- 4.6.9 Standard Bus Stop Dimensions and Arrangements
- 4.6.10 "Bus Stop" Letter Dimensions for Coach and Double Deck Bus, Bus Stop
- 4.6.11 "Bus Stop" Character Dimensions for Coach and Double Deck Bus,
 Bus Stop
- 4.7.1 Use of Figure No. 601, Lane Line, and Figure No. 602, Centre Line
- 4.7.2 Inclined Warning Line to Figure No. 603, at Refuges
- 4.7.3 Use of Figure No. 603, Warning Line on Bends

Diagram Title

4.	7.4	Use	of	Figure	No.	606.	Edge	Line	at	a	Lav-By
----	-----	-----	----	--------	-----	------	------	------	----	---	--------

- 4.7.5 Use of Figure No. 607, Edge of Carriageway Markings
- 4.7.6 Figure No. 608 "Give Way" Symbol
- 4.7.7 Construction Details for Figure No. 609, Warning Arrow
- 4.7.8 Use of Figure No. 609, Warning Arrow on Two Way Roads
- 4.7.9 Use of Figure No. 609, Warning Arrow on a One Way Road
- 4.7.10 Use of Figure No. 604, "Look Left", "Look Right" Markings
- 4.7.11 Use of Figure No. 604 at a Junction
- 4.7.12 Figure No. 615, Construction Details
- 4.7.13 Use of Figure No. 615, "Slow" with Warning Sign on a Downhill Approach to a Bend
- 4.7.14 Use of Figure No. 615, "Slow", at the Entrance to a Small Development
- 4.7.15 Use of Figure No. 615, "Slow" at Entrance to a Private Road
- 4.7.16 Non-prescribed Markings that may be Used on Private Roads
- 4.7.17 Use of Road Marking 1127
- 4.7.18 Use of Advisory Chevron Markings, Road Markings 1129 and 1131
- 4.7.19 Use of Semi-Hatched Marking, Road Marking 1134
- 4.7.20 Construction Details for Cycle Symbol
- 4.8.1 Transport Heavy Upper Case Alphabet
- 4.8.2 Transport Heavy Lower Case Alphabet
- 4.8.3 Transport Heavy Numerals
- 4.8.4 Transport Heavy Punctuation Marks
- 4.8.5 Tile Proportions
- 4.8.6 Examples of Gothic Characters and Tile Dimensions
- 4.8.7 Block Assembly
- 4.8.8 Tile and Border Spacings
- 4.8.9 Advance Direction Sign For Cross Road
- 4.8.10 Advance Direction Sign 4-arm Roundabout
- 4.8.11 Stack Type Advance Direction and Direction Sign
- 4.8.12 Straight Ahead and Inclined Right Arrows for Stack Type Rectangular Signs
- 4.8.13 Inclined Arrow for Stack Type Rectangular Signs
- 4.8.14 Flag Type Direction Sign
- 4.8.15 Car Park Directional Signs
- 4.8.16 Goods Vehicle Park Direction Sign
- 4.8.17 Car Park Symbol for Use with Diagram 4.8.15
- 4.8.18 Goods Vehicle Parking Symbol for Use with Diagram 4.8.16

Diagram Title

4.8.19	Goods Vehicle Symbol For Use with Diagram 4.8.18
4.8.20	Hospital Direction Signs
4.8.21	Hospital Symbol for Use with Diagram 4.8.20
4.8.22	Direction Signs for Disabled Persons
4.8.23	Disabled Person Symbol For Use with Diagram 4.8.22
4.8.24	Pedestrian Directional Signs
4.8.25	Pedestrian Symbol for Use with Diagram 4.8.24
4.8.26	Cyclist Direction Signs
4.8.27	Cycle Symbol for Use with Diagram 4.8.26
4.8.28	Use of Advance Direction and Direction Signs on Private Roads
4.8.29	Use of Advance Direction and Direction Signs at a Four-way
	Junction
4.8.30	Use of Advance Direction and Direction Signs at Roundabouts
4.8.31	Direction Sign for Minor Road Only
4.8.32	Signing for Roundabout where Directional Signs are not Required
4.8.33	Signing of Car Parks or Other Similar Destinations
4.8.34	Signing of Facilities Suitable for the Disabled
4.9.1	Barrier Face Details
4.9.2	Barrier Location

Index

Paragraph Nos.

	и		۰	
	1		ı	
	4	•	a	
-4	ı		1	L
	-	•	-	•

Advance Direction Signs	4.8.19 - 4.8.22
Ahead Only Sign	4.4.8, 4.4.9, 4.4.29
Arrow Plates	2.2.6, 2.2.16, 2.2.18
Approval Procedures	5.1.1 - 5.1.15, 5.2.1 - 5.2.12, 5.3.1 - 5.3.5
	3.3.1 - 3.3.3
<u>B</u>	
Barriers	4.9.1 - 4.9.6
Bend Sign	4.5.8 - 4.5.10, 4.7.20
Bollard	4.4.18, 4.5.32
Bus Stop Markings	4.6.19 - 4.6.22
<u>c</u>	
Con Donk Dinostion Signs	4.8.18
Car Park Direction Signs	
Car Park Markings	4.6.17, 4.6.18
Centre Line Marking	4.7.1, 4.7.4
Characters	4.8.10, 4.8.11, 4.8.19
Chevron Sign	4.5.11 - 4.5.13
Chevron Marking	4.7.25, 4.7.26
Children Ahead Sign	4.5.26
Colours	4.3.2, 4.3.5, 4.8.3
Cyclists Ahead Sign	4.5.30, 4.5.31
Cyclist Direction Signs	4.8.28
Cyclist, Keep to the Left Sign	4.5.28
Cyclists Only Sign	4.4.42 - 4.4.44
Cyclists/Pedestrians Only Sign	4.4.40 - 4.4.41
Cycle Symbol Marking	4.7.28 - 4.7.30

1	r	٦	۱	
J	L	J	,	
•	-	-	۲.	

Direction	Signs	4.8.19 - 4.8.23

E

G

H

Gradient Ahead Sign

I

$\underline{\textbf{K}}$

Keep in Low Gear Supplementary Plate	4.5.18, 4.5.19
Keep Left Sign	4.4.17, 4.4.18
Keep Right Sign	4.4.17, 4.4.18

$\underline{\textbf{L}}$

_		
Lane Line Marking	4.7.2, 4.7.4	
Lay-by Marking	4.7.8	
Learner Drivers Prohibited Sign	4.4.23 - 4.4.25	
Legislation	1.2.1 - 1.2.4	
Logo	2.2.7	
Look Left Markings	4.7.16, 4.7.17	
Look Right Markings	4.7.16, 4.7.17	
Low Gear Supplementary Plates	4.5.18, 4.5.19	

$\underline{\mathbf{N}}$

No Cyclist Signs	4.4.37, 4.4.38, 4.4.39
No Entry Signs	4.4.19 - 4.4.22, 4.4.48, 4.4.49
No Exit Signs	4.4.48, 4.4.49
No Left Turn Sign	4.4.8, 4.4.11, 4.4.26 - 4.4.30
No Parking Signing and Marking	2.2.6 - 2.2.25
No Pedestrians, and No Cyclists Sign	4.4.37
No Right Turn Sign	4.4.8, 4.4.11, 4.4.26 - 4.4.30, 4.4.32
No Through Road Signs	4.5.36 - 4.5.39
No U-Turn Sign	4.4.31, 4.4.32
Numerals	4.8.3, 4.8.7, 4.8.9

4.4.14, 4.5.14, 4.6.11, 4.8.22

4.5.14, 4.5.15

<u>o</u>	
"One Way" Supplementary Plate	4.4.11
"One Way Traffic" Signs	4.4.9, 4.4.45 - 4.4.47
<u>P</u>	
Parking Direction Signs	4.8.18
Parking Permits	2.2.21
Pass Either Side Sign	4.4.17, 4.4.18, 4.5.32, 4.5.33
Passing Place Sign	4.5.35
Pedestrians Crossing, or, In Road Ahead Sign	4.5.29
Pedestrian Direction Signs	4.8.24 - 4.8.26
Pedestrian Prohibited Signs	4.4.33, 4.4.34, 4.4.37, 4.4.38
Physically Handicapped	4.8.27
Playground Supplementary Plate	4.5.26
Private Road Sign	2.1.1, 2.1.2, 2.2.1 - 2.2.5
<u>R</u>	
Reflectorisation	4.3.1, 4.3.6
Regulatory Signs	4.4.1 - 4.4.49
Rickshaws and Pedestrian Controlled Vehicles Prohibited Sign	4.4.35, 4.4.36
Road Humps	3.1.1 - 3.1.3, 3.2.1 - 3.2.17
Road Hump Warning Marking	3.1.3
Road Hump Warning Sign	3.1.3
Road Works	4.1.5

Roundabouts

× //

Roundabout Ahead Sign

<u>s</u>	
School Supplementary Plate	4.5.26
Semi-hatched Markings	4.7.27
Single Track Road Sign	4.5.34
Sighting Distances	4.2.4
Sign Assembly	4.2.15
Sign Mountings	4.2.14 - 4.2.16
Signing for the Disabled	4.8.27
Sign Sizes	4.2.3, 4.2.4
Slow Marking	4.7.18 - 4.7.21
Steep Road, Cyclist Advised to Walk Sign	4.5.27
Stop Line	4.6.1, 4.6.2
Straight Ahead Directional Arrow Markings	4.6.12 - 4.6.18
Stroke Widths	4.8.12 - 4.8.15
Speed Limits	4.7.21, 5.1.1 - 5.1.15
Supplementary Plates	4.2.17, 4.2.18, 4.5.18, 4.5.19, 4.5.26, 4.5.40, 4.5.41
<u>T</u>	
Temporary No Parking	2.2.20
Tiles	4.8.8, 4.8.9
Time Plates	2.2.11
Traffic Light Signals	4.1.6, 4.6.1, 4.6.2, 5.3.1 - 5.3.5
Traffic Signals Ahead Sign	4.5.6, 4.5.7
Transport Heavy Alphabet	4.8.3, 4.8.7
	h h 45 h h 46

4.4.15 - 4.4.16

Turn Left Ahead Signs

Turn	Left	Directional	Arrow	Markings
------	------	-------------	-------	----------

W

Wall Mounted Signs

Warning Arrow Marking

Warning Hatched Marking

Warning Line Marking

Warning Signs

Wheel Clamps

Working Drawings

4.2.9

4.7.12- 4.7.15

4.7.23, 4.7.24

4.6.8, 4.7.3 - 4.7.6

4.5.1 - 4.5.31

2.2.24

2.2.25, 3.2.17

X

'x-height'

Table 4.2.2, 4.8.4 - 4.8.6,

4.8.8 - 4.8.12