

YEAR

2012

LINK

LUNG WUI RD (from TIM MEI AVE to LUNG KING ST)

COVERAGE (B) STATION


2408

ROAD NETWORK






MINOR

ROAD TYPE

DISTRICT DISTRIBUTOR



1. TRAFFIC FLOW VARIATION AND GROWTH



2. TRAFFIC CHARACTERISTICS (BY DIRECTION)

Parameter	All - Day	Mon. - Fri.	Sat.	Sun.
EAST BOUND				
A.A.D.T.	6040	6950	5820	2980
R 12 / 24 - %	77.4	78.6	75.8	66.8
R 16 / 24 - %	94.5	95.3	92.6	88.9
AM Peak Hour	0900-1000	0900-1000	0900-1000	0900-1000
One-way flow at AM peak hour	390	490	200	120
T - % (AM)	-	30.4	-	-
PM Peak Hour	1800-1900	1800-1900	1600-1700	1800-1900
One-way flow at PM peak hour	510	590	490	250
T - % (PM)	-	23.2	-	-
Prop.of commercial vehicles - 16 hr.	-	29.9	-	-
WEST BOUND				
A.A.D.T.	2230	2700	1700	910
R 12 / 24 - %	80.4	80.9	79.4	74.1
R 16 / 24 - %	94.6	95	92	93.2
AM Peak Hour	0900-1000	0900-1000	0900-1000	0800-0900
One-way flow at AM peak hour	160	210	80	40
T - % (AM)	-	35.1	-	-
PM Peak Hour	1600-1700	1800-1900	1600-1700	1800-1900
One-way flow at PM peak hour	170	200	160	70
T - % (PM)	-	36.2	-	-
Prop.of commercial vehicles - 16 hr.	-	38.8	-	-

3. OTHER INFORMATION AND COMMENT

4. Vehicle classification and occupancy - Monday to Friday

Time		Class of vehicle									
		Motor Cycle	Private Car	Taxi	Private LB	PLB	Goods veh.		Non Fr. Bus	Fr. Bus	
							Light	M & H		SD	DD
0700-0800	Pro	0.0	6.9	26.5	0.0	0.0	4.9	0.0	2.9	0.0	58.8
	Ocp	0.0	1.3	1.6	0.0	0.0	1.4	0.0	2.7	0.0	9.5
0800-0900	Pro	1.0	25.4	32.6	0.5	0.0	4.1	2.1	7.3	0.0	26.9
	Ocp	1.0	1.3	1.9	1.0	0.0	2.3	1.5	9.4	0.0	14.7
0900-1000	Pro	0.4	27.7	34.7	0.0	0.0	5.9	1.1	3.7	1.5	25.1
	Ocp	1.0	1.5	2.3	0.0	0.0	1.6	1.3	12.0	1.0	9.4
1000-1100	Pro	2.5	19.6	32.4	1.0	0.0	6.9	1.0	1.5	7.8	27.5
	Ocp	1.0	1.4	1.7	1.5	0.0	1.9	1.5	3.0	9.5	9.6
1100-1200	Pro	0.9	21.1	31.2	1.8	0.5	9.2	1.4	4.6	7.3	22.0
	Ocp	1.0	1.4	1.9	2.0	14.0	1.9	1.7	5.0	3.3	11.4
1200-1300	Pro	0.9	27.6	37.1	0.5	0.0	9.1	0.0	3.2	5.4	16.3
	Ocp	1.0	1.9	2.1	2.0	0.0	2.1	0.0	14.6	1.7	15.7
1300-1400	Pro	0.9	36.4	30.4	0.0	0.0	3.7	2.8	1.8	5.5	18.4
	Ocp	1.0	1.6	1.9	0.0	0.0	1.5	1.7	3.0	2.3	16.4
1400-1500	Pro	0.5	24.2	35.5	0.9	0.0	12.3	1.9	1.9	7.6	15.2
	Ocp	1.0	1.5	2.1	2.5	0.0	2.0	1.5	8.8	4.0	23.5
1500-1600	Pro	0.9	31.8	24.0	2.3	0.9	10.6	0.5	3.2	5.5	20.3
	Ocp	1.0	1.5	2.1	2.4	16.0	1.7	1.0	9.0	3.0	22.4
1600-1700	Pro	1.7	22.8	30.1	0.7	0.0	14.9	1.0	5.2	5.5	18.0
	Ocp	1.0	1.8	1.9	2.0	0.0	1.6	1.3	8.8	1.5	25.3
1700-1800	Pro	0.4	36.9	23.6	2.3	0.4	8.4	0.4	4.9	4.6	18.3
	Ocp	1.0	1.4	2.1	2.5	6.0	1.6	1.0	7.8	5.0	21.3
1800-1900 Peak hour	Pro	0.8	42.7	28.1	0.0	0.8	2.2	0.8	6.7	6.0	12.0
	Ocp	1.0	1.5	2.4	0.0	10.5	2.0	1.5	13.7	4.0	26.4
1900-2000	Pro	1.8	40.4	28.2	0.4	0.0	2.1	0.0	7.1	4.3	15.7
	Ocp	1.2	1.7	2.1	1.0	0.0	1.7	0.0	7.5	1.7	21.9
2000-2100	Pro	1.1	52.7	12.9	0.0	1.1	0.5	0.0	3.8	6.5	21.5
	Ocp	1.0	1.6	2.1	0.0	5.5	2.0	0.0	1.7	2.3	12.5
2100-2200	Pro	0.0	23.1	21.5	0.0	0.0	0.0	0.0	0.0	6.2	49.2
	Ocp	0.0	1.3	1.9	0.0	0.0	0.0	0.0	0.0	1.0	15.1
2200-2300	Pro	0.0	19.0	21.4	0.0	0.0	1.2	0.0	1.2	14.3	42.9
	Ocp	0.0	1.9	2.9	0.0	0.0	2.0	0.0	1.0	2.0	10.1
16 hours	Pro	1.0	30.3	29.0	0.7	0.2	6.7	0.9	4.1	5.2	21.9
	Ocp	1.0	1.6	2.0	2.1	10.5	1.8	1.5	8.6	3.4	16.0

Legend

Pro. Proportion of vehicles in % (Sum may not add up to 100% due to figure rounding)
Ocp. Average occupancy of vehicles
M&H Medium and Heavy