






YEAR 2014
 COVERAGE (B) STATION 2201
 ROAD NETWORK MAJOR
 ROAD TYPE PRIMARY DISTRIBUTOR

LINK POK FU LAM RD (from POKFIELD RD to MOUNT DAVIS RD)



1. TRAFFIC FLOW VARIATION AND GROWTH



2. TRAFFIC CHARACTERISTICS (BY DIRECTION)

Parameter	All - Day	Mon. - Fri.	Sat.	Sun.
SOUTH BOUND				
A.A.D.T.	8320	8640	8690	7130
R 12 / 24 - %	64.5	64.9	64.4	61.9
R 16 / 24 - %	86.4	87.7	83.6	82.6
AM Peak Hour	0800-0900	0800-0900	0900-1000	0900-1000
One-way flow at AM peak hour	540	630	420	290
T - % (AM)	-	8	-	-
PM Peak Hour	1800-1900	1800-1900	1800-1900	1700-1800
One-way flow at PM peak hour	520	540	570	430
T - % (PM)	-	7	-	-
Prop.of commercial vehicles - 16 hr.	-	10	-	-
NORTH BOUND				
A.A.D.T.	21360	22880	21690	15490
R 12 / 24 - %	74.4	75.6	72.3	68.9
R 16 / 24 - %	90.5	91.5	87.9	86.3
AM Peak Hour	0800-0900	0800-0900	0900-1000	0900-1000
One-way flow at AM peak hour	1630	1980	1250	760
T - % (AM)	-	7	-	-
PM Peak Hour	1800-1900	1800-1900	1800-1900	1800-1900
One-way flow at PM peak hour	1550	1640	1600	1200
T - % (PM)	-	8	-	-
Prop.of commercial vehicles - 16 hr.	-	8.1	-	-

3. OTHER INFORMATION AND COMMENT

Coverage (B) Station 2201
Year 2014

4. Vehicle classification and occupancy - Monday to Friday

Time		Class of vehicle									
		Motor	Private	Taxi	Private	PLB	Goods veh.		Non	Fr. Bus	
		Cycle	Car		LB		Light	M & H	Fr. Bus	SD	DD
0700-0800	Pro	2.5	25.5	35.6	3.9	12.2	8.1	0.6	5.4	0.1	6.1
	Ocp	1.0	1.5	2.0	6.7	12.8	1.4	1.0	14.4	9.0	48.5
0800-0900 Peak hour	Pro	0.8	49.2	28.5	1.4	8.3	4.6	0.6	3.1	0.1	3.5
	Ocp	1.2	1.4	2.1	5.2	14.6	2.0	1.2	9.8	39.0	65.8
0900-1000	Pro	2.0	44.3	26.8	2.1	9.2	7.2	1.5	2.1	0.1	4.7
	Ocp	1.0	1.4	2.1	2.4	12.0	1.7	1.4	11.6	16.3	37.8
1000-1100	Pro	2.1	28.5	35.8	1.0	8.3	14.6	1.2	3.1	0.0	5.4
	Ocp	1.0	1.5	2.0	3.2	11.0	1.5	1.5	13.7	0.0	27.0
1100-1200	Pro	1.5	31.3	32.1	2.7	8.0	15.4	1.7	2.1	0.0	5.2
	Ocp	1.0	1.4	2.0	2.5	11.5	1.6	1.5	8.7	0.0	25.9
1200-1300	Pro	0.6	31.4	34.9	3.9	6.5	13.8	1.1	2.6	0.0	5.2
	Ocp	1.0	1.5	1.7	4.4	10.6	1.6	1.7	9.2	0.0	22.7
1300-1400	Pro	1.2	29.6	33.6	2.2	8.4	15.6	2.2	2.4	0.0	4.9
	Ocp	1.0	1.4	2.1	2.6	9.1	1.7	1.3	9.3	0.0	23.1
1400-1500	Pro	1.1	32.4	33.5	1.3	8.6	14.4	1.9	2.1	0.1	4.6
	Ocp	1.0	1.7	2.1	2.7	9.6	1.9	1.0	11.2	1.0	26.9
1500-1600	Pro	1.5	33.7	29.5	2.9	6.7	14.9	1.5	4.4	0.0	4.8
	Ocp	1.0	1.5	2.0	7.7	12.2	1.7	1.6	21.8	0.0	28.3
1600-1700	Pro	1.4	34.4	26.5	3.1	9.7	14.2	0.7	4.5	0.0	5.4
	Ocp	1.0	1.6	2.3	3.6	11.1	1.6	1.3	9.0	0.0	38.9
1700-1800	Pro	3.5	35.3	31.3	1.8	9.7	9.0	1.1	3.0	0.0	5.5
	Ocp	1.1	1.7	2.4	2.6	12.7	1.9	1.0	17.1	0.0	51.0
1800-1900	Pro	2.7	45.6	32.2	0.1	6.9	4.8	0.7	3.2	0.0	3.8
	Ocp	1.1	1.7	2.1	1.0	14.8	1.7	1.2	27.4	0.0	54.5
1900-2000	Pro	2.9	35.3	42.4	0.5	7.2	4.0	0.2	2.7	0.0	4.8
	Ocp	1.0	1.3	2.1	2.0	12.7	1.6	1.0	22.5	0.0	48.6
2000-2100	Pro	1.5	28.3	50.9	0.0	8.4	2.8	0.5	1.3	0.1	6.3
	Ocp	1.0	1.5	1.9	0.0	10.7	1.6	1.0	5.6	1.0	25.6
2100-2200	Pro	3.2	25.0	49.2	0.0	10.5	6.4	0.0	0.5	0.1	5.1
	Ocp	1.1	1.6	1.9	0.0	10.0	1.5	0.0	1.0	18.0	28.1
2200-2300	Pro	0.6	32.0	48.2	0.3	11.6	0.6	0.0	0.6	0.0	6.0
	Ocp	1.0	1.6	1.8	2.0	7.3	1.0	0.0	12.5	0.0	26.3
16 hours	Pro	1.8	35.2	34.5	1.7	8.6	9.4	1.0	2.8	0.1	5.0
	Ocp	1.0	1.5	2.0	4.2	11.7	1.7	1.3	14.6	17.8	37.1

Legend

Pro. Proportion of vehicles in % (Sum may not add up to 100% due to figure rounding)
Ocp. Average occupancy of vehicles
M&H Medium and Heavy