






YEAR 2019
 COVERAGE (B) STATION 2204
 ROAD NETWORK MAJOR
 ROAD TYPE DISTRICT DISTRIBUTOR

LINK YEE KING RD & LAI TAK TSUEN RD (from CLOUD VIEW RD to TAI HANG RD)



1. TRAFFIC FLOW VARIATION AND GROWTH



— All day — Mon.- Fri. Sat. - - - - Sun.

2. TRAFFIC CHARACTERISTICS (BY DIRECTION)

Parameter	All - Day	Mon. - Fri.	Sat.	Sun.
EAST BOUND				
A.A.D.T.	6700	6900	7360	5580
R 12 / 24 - %	72.7	73.1	74.4	68
R 16 / 24 - %	91.9	92.4	91.3	90.3
AM Peak Hour	0800-0900	0700-0800	0900-1000	0900-1000
One-way flow at AM peak hour	370	430	420	320
T - % (AM)	-	14.8	-	-
PM Peak Hour	1600-1700	1600-1700	1700-1800	1600-1700
One-way flow at PM peak hour	480	520	510	340
T - % (PM)	-	16.8	-	-
Prop.of commercial vehicles - 16 hr.	-	9.2	-	-
WEST BOUND				
A.A.D.T.	4370	4570	4800	3270
R 12 / 24 - %	77.3	77.7	78.8	71.7
R 16 / 24 - %	93.2	93.6	92.6	91.4
AM Peak Hour	0800-0900	0800-0900	0900-1000	0900-1000
One-way flow at AM peak hour	260	300	270	130
T - % (AM)	-	12.2	-	-
PM Peak Hour	1600-1700	1600-1700	1700-1800	1600-1700
One-way flow at PM peak hour	310	340	370	220
T - % (PM)	-	6.8	-	-
Prop.of commercial vehicles - 16 hr.	-	6.9	-	-

3. OTHER INFORMATION AND COMMENT

4. Vehicle classification and occupancy - Monday to Friday

Time		Class of vehicle									
		Motor Cycle	Private Car	Taxi	Private LB	PLB	Goods veh.		Non Fr. Bus	Fr. Bus	
							Light	M & H		SD	DD
0700-0800	Pro	0.0	33.9	30.0	9.7	9.7	1.0	0.0	7.7	2.9	5.1
	Ocp	0.0	1.5	1.6	6.2	10.1	1.0	0.0	18.9	17.7	21.5
0800-0900	Pro	1.4	53.6	18.6	3.4	4.8	6.2	0.0	6.2	2.4	3.4
	Ocp	1.0	1.5	1.9	8.8	16.3	1.8	0.0	8.6	16.6	12.1
0900-1000	Pro	0.6	64.3	14.8	1.2	5.3	7.1	0.6	1.2	2.1	3.0
	Ocp	1.0	1.5	2.0	1.5	11.1	1.8	1.0	16.0	12.9	10.6
1000-1100	Pro	1.9	52.9	23.6	0.6	5.0	8.7	2.5	0.0	1.9	3.0
	Ocp	1.0	1.5	1.4	1.0	8.3	1.4	1.5	0.0	8.3	11.5
1100-1200	Pro	0.7	57.5	15.7	3.7	5.2	6.0	0.7	6.0	2.1	2.4
	Ocp	1.0	1.6	1.7	2.2	11.3	1.3	1.0	1.3	10.4	9.8
1200-1300	Pro	1.6	55.7	21.6	5.4	3.2	5.9	0.0	3.2	1.5	1.8
	Ocp	1.0	1.9	1.8	3.9	14.8	1.3	0.0	16.0	14.3	21.2
1300-1400	Pro	1.6	46.4	26.4	0.8	4.8	10.4	0.0	4.0	2.4	3.2
	Ocp	1.0	1.5	1.4	1.0	11.8	1.5	0.0	6.8	7.8	8.3
1400-1500	Pro	0.5	51.7	24.5	1.6	4.9	8.7	0.5	3.8	1.8	1.9
	Ocp	1.0	1.4	1.6	3.3	10.1	1.6	2.0	5.0	14.5	9.9
1500-1600	Pro	1.4	53.7	19.1	3.7	4.2	10.3	0.0	4.7	1.2	1.8
	Ocp	1.0	1.5	1.9	6.8	14.9	1.6	0.0	13.8	15.3	19.3
1600-1700 Peak hour	Pro	1.0	52.4	18.3	5.6	3.6	8.6	0.0	6.6	1.3	2.7
	Ocp	1.0	1.6	1.9	8.5	12.0	1.9	0.0	7.3	18.0	17.5
1700-1800	Pro	2.1	55.7	21.0	1.6	4.7	7.4	0.5	2.6	1.4	2.9
	Ocp	1.0	1.5	2.1	3.7	14.2	1.6	2.0	3.2	11.6	15.5
1800-1900	Pro	0.5	62.8	26.9	0.0	3.8	1.9	0.0	0.9	1.2	2.0
	Ocp	1.0	1.6	2.0	0.0	11.0	1.8	0.0	1.5	8.4	16.6
1900-2000	Pro	1.7	65.5	22.7	0.6	3.9	1.1	0.0	0.6	2.1	1.9
	Ocp	1.0	1.6	2.3	1.0	10.4	2.0	0.0	1.0	6.6	11.9
2000-2100	Pro	0.0	55.0	32.8	0.8	5.3	0.0	0.0	0.0	2.7	3.4
	Ocp	0.0	1.4	1.9	2.0	8.1	0.0	0.0	0.0	5.4	6.9
2100-2200	Pro	1.1	40.9	45.1	0.0	7.4	0.0	0.0	0.0	2.1	3.4
	Ocp	1.0	1.5	2.1	0.0	7.4	0.0	0.0	0.0	4.0	5.0
2200-2300	Pro	0.9	57.5	26.4	0.0	6.6	0.9	0.0	0.9	3.3	3.3
	Ocp	1.0	1.5	2.1	0.0	8.1	1.0	0.0	1.0	4.9	4.6
16 hours	Pro	1.1	54.8	23.3	2.4	4.9	5.7	0.3	3.0	1.9	2.7
	Ocp	1.0	1.5	1.9	5.5	11.3	1.6	1.5	8.9	11.0	13.0

Legend: Pro. Proportion of vehicles in % (Sum may not add up to 100% due to figure rounding)*

Ocp. Average occupancy of vehicles including both driver and passengers*

M&H Medium and Heavy

* All traffic data are collected from combined bounds