






YEAR 2020

LINK STUBBS RD (from WAN CHAI GAP RD to WONG NAI CHUNG GAP RD)

COVERAGE (B) STATION 2203
ROAD NETWORK MAJOR
ROAD TYPE DISTRICT DISTRIBUTOR



1. TRAFFIC FLOW VARIATION AND GROWTH



2. TRAFFIC CHARACTERISTICS (BY DIRECTION)

Parameter	All - Day	Mon. - Fri.	Sat.	Sun.
SOUTH BOUND				
A.A.D.T.	5730	6280	5540	3900
R 12 / 24 - %	84.1	85.1	82.2	78.9
R 16 / 24 - %	96.3	96.9	94.4	93.3
AM Peak Hour	0800-0900	0800-0900	0900-1000	0900-1000
One-way flow at AM peak hour	390	480	370	200
T - % (AM)	-	1.9	-	-
PM Peak Hour	1600-1700	1600-1700	1600-1700	1600-1700
One-way flow at PM peak hour	430	470	420	300
T - % (PM)	-	4.7	-	-
Prop.of commercial vehicles - 16 hr.	-	3.6	-	-
NORTH BOUND				
A.A.D.T.	5290	5870	5000	3380
R 12 / 24 - %	85.3	87	81	78.2
R 16 / 24 - %	96.3	96.8	95.3	94
AM Peak Hour	0900-1000	0900-1000	0900-1000	0900-1000
One-way flow at AM peak hour	430	510	330	200
T - % (AM)	-	3.6	-	-
PM Peak Hour	1700-1800	1700-1800	1600-1700	1600-1700
One-way flow at PM peak hour	400	460	370	270
T - % (PM)	-	1.9	-	-
Prop.of commercial vehicles - 16 hr.	-	3.8	-	-

3. OTHER INFORMATION AND COMMENT

Coverage (B) Station 2203
Year 2020

4. Vehicle classification and occupancy - Monday to Friday

Time		Class of vehicle									
		Motor Cycle	Private Car	Taxi	Private LB	PLB	Goods veh.		Non Fr. Bus	Fr. Bus	
							Light	M & H		SD	DD
0700-0800	Pro	7.5	43.0	22.4	0.0	3.7	9.3	7.5	3.7	0.0	2.8
	Ocp	1.0	1.4	2.2	0.0	4.0	2.6	1.3	15.0	0.0	44.0
0800-0900	Pro	6.7	38.4	37.4	0.0	3.8	11.5	0.0	0.0	0.0	2.2
	Ocp	1.0	1.3	1.5	0.0	2.5	2.4	0.0	0.0	0.0	37.8
0900-1000	Pro	1.9	46.7	26.9	0.6	0.0	20.5	1.9	0.0	0.0	1.4
	Ocp	1.0	1.4	1.6	2.0	0.0	1.6	1.0	0.0	0.0	30.1
1000-1100	Pro	4.2	60.0	12.7	1.2	1.2	13.9	5.5	0.0	0.0	1.2
	Ocp	1.0	1.5	1.6	2.5	1.0	1.7	1.2	0.0	0.0	25.4
1100-1200	Pro	1.1	64.1	12.3	0.0	1.1	16.6	3.7	0.0	0.0	1.2
	Ocp	1.0	1.5	1.6	0.0	1.0	1.4	1.0	0.0	0.0	26.3
1200-1300	Pro	1.7	61.5	15.1	0.6	1.2	15.7	2.9	0.0	0.0	1.3
	Ocp	1.3	1.5	1.7	3.0	6.0	1.6	1.6	0.0	0.0	26.0
1300-1400	Pro	3.9	54.9	20.7	0.0	1.3	15.5	2.6	0.0	0.0	1.1
	Ocp	1.0	1.5	2.1	0.0	7.0	2.2	1.8	0.0	0.0	38.4
1400-1500	Pro	1.5	62.0	15.3	0.0	1.5	16.1	1.5	0.7	0.0	1.5
	Ocp	1.5	1.7	1.7	0.0	3.5	1.5	1.5	1.0	0.0	41.4
1500-1600 Peak hour	Pro	0.0	62.0	21.2	0.0	1.1	11.5	2.9	0.0	0.0	1.3
	Ocp	0.0	1.5	1.8	0.0	1.0	1.9	1.2	0.0	0.0	27.7
1600-1700	Pro	0.6	60.6	21.2	0.0	1.2	12.9	2.4	0.0	0.0	1.2
	Ocp	1.0	1.4	1.8	0.0	5.0	2.0	1.3	0.0	0.0	43.1
1700-1800	Pro	0.6	66.3	26.2	0.6	0.6	2.9	1.7	0.0	0.0	1.2
	Ocp	2.0	1.6	1.6	4.0	11.0	2.6	1.0	0.0	0.0	44.8
1800-1900	Pro	2.6	72.3	21.3	0.0	1.0	2.1	0.0	0.0	0.0	0.7
	Ocp	1.0	1.5	1.7	0.0	7.0	1.3	0.0	0.0	0.0	54.6
1900-2000	Pro	2.8	75.9	13.2	1.1	1.1	3.9	1.1	0.0	0.0	1.0
	Ocp	1.0	1.5	1.3	2.0	11.5	1.1	1.0	0.0	0.0	29.6
2000-2100	Pro	2.4	64.0	29.0	0.0	2.4	0.0	0.0	0.0	0.0	2.1
	Ocp	1.0	1.4	1.5	0.0	2.5	0.0	0.0	0.0	0.0	11.3
2100-2200	Pro	0.0	57.6	34.9	0.0	1.7	1.7	1.7	0.0	0.0	2.2
	Ocp	0.0	1.2	1.4	0.0	2.0	1.0	1.0	0.0	0.0	10.4
2200-2300	Pro	7.6	51.5	30.3	1.5	3.0	4.5	0.0	0.0	0.0	1.5
	Ocp	1.0	1.5	1.6	3.0	1.5	1.7	0.0	0.0	0.0	3.5
16 hours	Pro	2.4	60.8	20.8	0.4	1.3	10.7	2.2	0.1	0.0	1.3
	Ocp	1.1	1.5	1.7	2.6	4.2	1.8	1.2	10.3	0.0	31.6

Legend: Pro. Proportion of vehicles in % (Sum may not add up to 100% due to figure rounding)*

Ocp. Average occupancy of vehicles including both driver and passengers*

M&H Medium and Heavy

* All traffic data are collected from combined bounds