



CORE STATION 1001
ROAD NETWORK MAJOR
ROAD TYPE URBAN TRUNK ROAD



1. TRAFFIC FLOW VARIATION AND GROWTH



2. TRAFFIC CHARACTERISTICS (BY DIRECTION)

Parameter	All - Day	Mon. - Fri.	Sat.	Sun.
EAST BOUND				
A.A.D.T.	37250	39190	36780	31060
R 12 / 24 - %	68.9	70.4	65.7	63
R 16 / 24 - %	86.8	88.5	82.9	80.6
AM Peak Hour	0900-1000	0900-1000	0900-1000	0900-1000
One-way flow at AM peak hour	2220	2470	2030	1350
T - % (AM)	-	6.3	-	-
PM Peak Hour	1600-1700	1600-1700	1700-1800	1700-1800
One-way flow at PM peak hour	2130	2240	2060	1860
T - % (PM)	-	4.7	-	-
Prop.of commercial vehicles - 16 hr.	-	5	-	-
WEST BOUND				
A.A.D.T.	77250	82570	72490	61600
R 12 / 24 - %	74.4	74.7	72.8	74
R 16 / 24 - %	91	91.3	90.3	89.8
AM Peak Hour	0800-0900	0800-0900	0900-1000	0900-1000
One-way flow at AM peak hour	5180	5530	5310	4180
T - % (AM)	-	10	-	-
PM Peak Hour	1600-1700	1600-1700	1800-1900	1800-1900
One-way flow at PM peak hour	4600	5060	4290	3520
T - % (PM)	-	5	-	-
Prop.of commercial vehicles - 16 hr.	-	6.1	-	-

3. OTHER INFORMATION AND COMMENT

4. Vehicle classification and occupancy - Monday to Friday

Time		Class of vehicle									
		Motor Cycle	Private Car	Taxi	Private LB	PLB	Goods veh.		Non Fr. Bus	Fr. Bus	
							Light	M & H		SD	DD
0700-0800	Pro	5.1	29.8	35.9	2.0	0.5	11.9	4.4	4.8	0.1	5.4
	Ocp	1.0	1.3	2.0	11.2	6.0	1.3	1.2	14.6	1.0	35.8
0800-0900	Pro	2.6	46.0	30.7	0.6	0.4	9.9	2.3	3.1	0.1	4.5
	Ocp	1.0	1.2	1.9	7.2	8.0	1.4	1.3	14.1	36.0	43.9
0900-1000	Pro	2.3	44.8	31.3	0.3	0.2	14.5	2.7	1.1	0.1	2.8
	Ocp	1.1	1.3	1.9	2.4	1.5	1.4	1.2	5.1	10.5	34.2
1000-1100 Peak hour	Pro	2.7	43.2	30.3	0.6	0.2	16.8	3.2	0.9	0.1	2.2
	Ocp	1.1	1.3	2.0	1.9	4.5	1.3	1.3	3.5	1.0	26.6
1100-1200	Pro	3.0	45.8	27.8	1.1	0.1	17.4	2.4	0.5	0.0	1.8
	Ocp	1.0	1.4	2.1	2.2	4.5	1.4	1.3	3.0	0.0	23.6
1200-1300	Pro	2.3	45.4	33.3	0.5	0.2	14.3	1.5	0.7	0.0	1.8
	Ocp	1.1	1.5	2.1	6.7	1.7	1.4	1.3	3.2	0.0	21.7
1300-1400	Pro	2.3	46.5	30.9	0.2	0.2	14.7	2.5	1.0	0.0	1.7
	Ocp	1.0	1.5	2.0	2.3	2.5	1.4	1.4	5.3	0.0	22.4
1400-1500	Pro	1.8	53.4	24.1	0.6	0.1	15.5	0.8	2.0	0.0	1.7
	Ocp	1.1	1.4	2.0	1.8	1.0	1.3	1.2	4.5	0.0	20.2
1500-1600	Pro	2.6	50.8	26.3	1.6	0.0	13.2	1.4	2.0	0.0	2.0
	Ocp	1.1	1.4	2.0	9.3	0.0	1.4	1.4	7.8	0.0	14.7
1600-1700	Pro	2.8	55.5	26.1	0.8	0.2	9.9	1.1	1.2	0.0	2.5
	Ocp	1.1	1.3	1.9	5.8	8.5	1.3	1.3	9.1	0.0	16.9
1700-1800	Pro	3.4	53.6	30.2	0.4	0.1	7.3	0.6	1.4	0.0	3.0
	Ocp	1.1	1.3	1.9	3.0	20.0	1.3	1.1	4.1	0.0	21.5
1800-1900	Pro	3.6	55.1	30.2	0.0	0.1	5.1	0.5	2.4	0.0	3.0
	Ocp	1.1	1.4	2.0	0.0	13.0	1.2	1.1	20.7	0.0	33.8
1900-2000	Pro	1.7	51.3	40.0	0.0	0.3	2.0	0.4	1.9	0.1	2.5
	Ocp	1.2	1.3	2.0	0.0	3.8	1.3	1.7	7.9	1.0	20.8
2000-2100	Pro	2.4	47.5	42.2	0.2	0.3	3.7	0.5	0.7	0.0	2.4
	Ocp	1.1	1.3	2.0	2.0	6.3	1.5	1.0	4.1	0.0	13.9
2100-2200	Pro	2.8	50.8	40.8	0.1	0.5	2.0	0.8	0.0	0.0	2.3
	Ocp	1.1	1.3	2.0	2.0	6.2	1.0	1.4	0.0	0.0	14.1
2200-2300	Pro	3.0	49.6	40.6	0.1	0.1	3.2	1.0	0.3	0.0	2.1
	Ocp	1.0	1.4	2.0	1.0	15.0	1.2	1.2	3.7	0.0	13.5
16 hours	Pro	2.7	48.5	32.0	0.5	0.2	10.4	1.6	1.5	0.1	2.6
	Ocp	1.1	1.4	2.0	5.8	6.0	1.4	1.3	9.8	13.4	26.4

Legend: Pro. Proportion of vehicles in % (Sum may not add up to 100% due to figure rounding)*

Ocp. Average occupancy of vehicles including both driver and passengers*

M&H Medium and Heavy

* All traffic data are collected from combined bounds